

Original Papers (only)

< Year 2000 >

Nogi T., Kobayashi M., Nozawa Y., and Miki K.: "Crystallization and preliminary crystallographic analysis of high-potential iron-sulfur protein from *Thermochromatium tepidu*", *Acta Cryst.* **D56**, 656-658 (2000).

Mizuno N., Hittel D. S., Miki K., Voordoaw G., and Higuchi Y.: "Preliminary X-ray crystallographic studies of DsrD protein from the sulfate-reducing bacterium *Desulfovibrio vulgaris*", *Acta Cryst.* **D56**, 754-755 (2000).

Park S.-Y., Yamane K., Adachi S., Shiro Y., Weiss K. E., and Sligar S. G.: "Crystallization and preliminary X-ray diffraction analysis of a cytochrome P450 (CYP119) from *Sulfolobus solfataricus*", *Acta Cryst.* **D56**, 1173-1175 (2000). BL44B2

Sun D., Sato M., Yoshida T., Shimizu H., Miyatake H., Adachi S., Shiro Y., and Kikuchi A.: "Crystallization and preliminary X-ray diffraction analysis of a rat biliverdin reductase", *Acta Cryst.* **D56**, 1180-1182 (2000). BL44B2

Yamada S., Park S.-Y., Shimizu H., Koshizuka Y., Kadokura K., Satoh T., Suruga K., Ogawa M., Isogai Y., Nishio T., Shiro Y., and Oku T.: "Structure of cytochrome c_6 from the red alga *Porphyra yezoensis* at 1.57Å resolution", *Acta Cryst.* **D56**, 1577-1582 (2000). BL44B2

Isogai Y., Ishii A., Fujisawa T., Ota M., and Nishikawa K.: "Redesign of artificial globins : Effects of residue replacements at hydrophobic sites on the structural properties", *Biochemistry* **39**, 5683-5690 (2000). BL45XU

Noguchi T., and Sugiura M.: "Structure of an active water molecule in the water-oxidizing complex of photosystem II as studied by FTIR spectroscopy", *Biochemistry* **39**, 10943-10949 (2000).

Gibney B. R., Isogai Y., Rabanal F., Reddy K. S., Grosset A. M., Moser C. C., and Dutton P. L.: "Self-assembly of heme A and heme B in a designed four-helix bundle: Implications for a cytochrome c oxidase maquette", *Biochemistry* **39**, 11041-11049 (2000).

Mukai M., Nakamura K., Nakamura H., Iizuka T., and Shiro Y.: "Roles of Iie209 and Iie210 on the heme pocket structure and regulation of histidine kinase activity of oxygen sensor FixL from *Rhizobium meliloti*", *Biochemistry* **39**, 13810-13816 (2000).

Shen J., and Kamiya N.: "Crystallization and the crystal properties of the oxygen-evolving photosystem II from *Synechococcus unclcanus*", *Biochemistry* **39**, 14739-14744 (2000).

Yamada S., Nakamura T., Tanaka Y., Isogai Y., Nishio T., and Oku T.: "Characterization and amino acid sequences of cytochromes c_6 from two strains of the green alga *Chlorella vulgaris*", *Biosci. Biotechnol. Biochem.* **64**, 628-632 (2000).

Furuichi M., Nishimoto E., Koga T., and Yamashita S.: "Time-resolved fluorescence studies on the

internal motion of LHCII in lipid membranes”, *Biosci. Biotechnol. Biochem.* **64**, 1623-1627 (2000).

Fukai S., Nureki O., Sekine S., Shimada A., Tao J., Vassilyev D.G., and Yokoyama S.: “Structural basis for double-sieve discrimination of L-valine from L-isoleucine and L-threonine by the complex of tRNA^{Val} and valyl-tRNA synthetase”, *Cell* **103**, 793-803 (2000). BL44B2

Bolze J., Fujisawa T., Nagao T., Norisada K., Saito H., and Naito A.: “Small angle X-ray scattering and ³¹P NMR studies on the phase behavior of phospholipid bilayered mixed micelles”, *Chem. Phys. Lett.* **329**, 215-220 (2000). BL45SAXS

Tsukihara T., and Aoyama H.: “Membrane protein assemblies-towards atomic resolution analysis”, *Curr. Opin. Structural Biol.* **2000** **10**, 208-212 (2000).

Sugahara M., Mikawa T., Kumasaka T., Yamamoto M., Kato R., Fukuyama K., Inoue Y., and Kuramitsu S.: “Crystal structure of a repair enzyme of oxidatively damaged DNA, MutM (Fpg), from an extreme thermophile, *Thermus thermophilus* HB8”, *EMBO J.* **19**, 3857-3869 (2000). BL45XU

Sano K., Maeda K., Taniguchi H., and Maéda Y.: “Amino acid replacements in an internal region of tropomyosin alter the properties of the entire molecule”, *Eur. J. Biochem.* **267**, 4870-4877 (2000).

Kostyukova A., Maeda K., Yamauchi E., Krieger I., and Maéda Y.: “Domain structure of tropomodulin; Distinct properties of the N-terminal and C-terminal halves”, *Eur. J. Biochem.* **267**, 6470-6475 (2000).

Iwamoto H., Suzuki T., and Fujisawa T.: “Time-resolved two-dimensional X-ray diffraction study of the effect of shortening on activation of contracting skeletal muscle”, *Eur. J. Physiol.* **439**, 646-649 (2000). BL45SAXS.

Kato R., Kataoka M., Mikawa T., Masui R., Nakagawa N., Kamikubo H., and Kuramitsu S.: “Observation of RecA protein monomer by small angle X-ray scattering with synchrotron radiation”, *FEBS Lett.* **482**, 159-162 (2000).

Mishima M., Hatanaka M., Yokoyama S., Ikegami T., Wälchli M., Ito Y., and Shirakawa M.: “Intermolecular ³¹P-¹⁵N and ³¹P-¹H scalar couplings across hydrogen bonds formed between a protein and a nucleotide”, *J. Am. Chem. Soc.* **122**, 5883-5884 (2000).

Hirao I., Otsuki T., Mitsui T., and Yokoyama S.: “Dual specificity of the pyrimidine analogue, 4-methylpyridin-2-one, in DNA replication”, *J. Am. Chem. Soc.* **122**, 6118-6119 (2000).

Fujisawa T., Inoue K., Oka T., Iwamoto H., Uruga T., Kumasaka T., Inoko Y., Yagi N., Yamamoto M., and Ueki T.: “Small-angle X-ray scattering station at the SPring-8 RIKEN beamline”, *J. Appl. Crystallogr.* **33**, 797-800 (2000). BL45SAXS

Sugahara M., Mikawa T., Kato R., Fukuyama K., Kumasaka T., Yamamoto M., Inoue Y., and Kuramitsu S.: “Crystallization and preliminary X-ray crystallographic studies of *Thermus thermophilus* HB8 MutM protein involved in repairs of oxidative DNA damage”, *J. Biochem.* **127**, 9-11 (2000). BL45XU

Kukimoto M., Nureki O., Shirouzu M., Katada T., Hirabayashi Y., Sugiya H., Furuyama S., Yokoyama S., and Hara-Yokoyama M.: "Crystallization and preliminary X-ray diffraction analysis of the extracellular domain of the cell surface antigen CD38 complexed with ganglioside", *J. Biochem.* **127**, 181-184 (2000).

Uga H., Komori H., Miki K., and Wada C.: "The iteron regions necessary for the RepE-iteron interaction *In vivo* in Mini-F plasmids of *Escherichia coli*", *J. Biochem.* **127**, 537-541 (2000).

Kimura M., Sekido S., Isogai Y., and Yamaguchi I.: "Expression, purification, and characterization of blasticidin S deaminase (BSD) from *Aspergillus terreus*: The role of catalytic zinc in enzyme structure", *J. Biochem.* **127**, 955-963 (2000).

Sano K., Maeda K., Oda T., and Maéda Y.: "The effect of single residue substitutions of serine-283 on the strength of head-to-tail interaction and actin binding properties of rabbit skeletal muscle α -tropomyosin", *J. Biochem.* **127**, 1095-1102 (2000).

Motoshima H., Inagaki K., Kumasaka T., Furuichi M., Inoue H., Tamura T., Esaki N., Soda K., Tanaka N., Yamamoto M., and Tanaka H.: "Crystal structure of the pyridoxal 5'-phosphate dependent L-methionine γ -lyase from *Pseudomonas putida*", *J. Biochem.* **128**, 349-354 (2000). BL45XU

Hishiki T., Shimada H., Nagano S., Egawa T., Kanamori Y., Makino R., Park S.-Y., Adachi S., Shiro Y., and Ishimura Y.: "X-ray crystal structure and catalytic properties of Thr252Ile mutant of cytochrome P450cam: Roles of Thr252 and water in the active center", *J. Biochem.* **128**, 965-974 (2000). BL44B2

Shimizu H., Obayashi E., Gomi Y., Arakawa H., Park S.-Y., Nakamura H., Adachi S., Shoun H., and Shiro Y.: "Proton delivery in NO reduction by fungal nitric-oxide reductase", *J. Biol. Chem.* **275**, 4816-4826 (2000). BL44B2

Hirao I., Madin K., Endo Y., Yokoyama S., and Ellington A. D.: "RNA aptamers that bind to and inhibit the ribosome-inactivating protein, pepocin", *J. Biol. Chem.* **275**, 4943-4948 (2000).

Mitsuhashi S., Mizushima T., Yamashita E., Yamamoto M., Kumasaka T., Moriyama H., Ueki T., Miyachi S., and Tsukihara T.: "X-ray structure of β -carbonic anhydrase from the red alga, *Prophyridium purpureum*, reveals a novel catalytic site for CO₂ hydration", *J. Biol. Chem.* **275**, 5521-5526 (2000). BL45XU

Yamagata A., Masui R., Kato R., Nakagawa N., Ozaki H., Sawai H., Kuramitsu S., and Fukuyama K.: "Interaction of UvrA and UvrB proteins with a fluorescent single-stranded DNA", *J. Biol. Chem.* **275**, 13235-13242 (2000).

Ishijima J., Nakai T., Kawaguchi S., Hirotsu K., and Kuramitsu S.: "Free energy requirement for domain movement of an enzyme", *J. Biol. Chem.* **275**, 18939-18945 (2000).

Elena P., Miyano M., Kanaoka Y., Urade Y., and Hayaishi O.: "Structural basis of hematopoietic prostaglandin D synthase activity elucidated by site-directed mutagenesis", *J. Biol. Chem.* **275**, 31239-31244 (2000).

Kim I., Muto Y., Watanabe S., Kitamura A., Futamura Y., Yokoyama S., Hosono K., Kawai G., Takaku H., Domae N., Takio K., Sakamoto H., and Shimura Y.: "Interactions of a didomain fragment of the *Drosophila* sex-lethal protein with single-stranded uridine-rich origoribonucleotides derived from the *transformer* and *Sex-lethal* messenger RNA precursors: NMR with residue-selective [5-²H]uridine substitutions", *J. Biomol. NMR* **17**, 153-165 (2000).

Lee D.-S.: "Dibutyl phthalate, an α -glucosidase inhibitor from *Streptomyces melanosporofaciens*", *J. Biosci. Bioeng.* **89**, 271-273 (2000).

Lee D.-S. and Lee S.-H.: "Biological activity of dihydrotanshinone I: Effect on apoptosis", *J. Biosci. Bioeng.* **89**, 292-293 (2000).

Kitano K., Sasaki R., Nogi T., Fukami T. A., Nakagawa A., Miki K., and Tanaka I.: "Utilization of microgravity to improve the crystal quality of biologically important proteins: Chaperonin-60, GrpE, B-subunit of V-type ATPase, and MIF", *J. Cryst. Growth* **210**, 819-823 (2000).

Hai H., Miura T., Kobayashi T., Maéda Y., and Miki M.: "Conformational changes of the troponin-tropomyosin complex on F-actin observed by fluorescence resonance energy transfer measurements", *J. Fluoresc.* **10**, 193-201 (2000).

Kato M., Yano K., Matsuo F., Saito H., Katagiri T., Kurumizaka H., Yoshimoto M., Kasumi F., Akiyama F., Sakamoto G., Nagawa H., Nakamura Y., and Miki Y.: "Identification of Rad51 alteration in patients with bilateral breast cancer", *J. Hum. Genet.* **45**, 133-137 (2000).

Piersma S. R., Nojiri M., Tsujimura M., Noguchi T., Odaka M., Yohda M., Inoue Y., and Endo I.: "Arginine 56 mutation in the β subunit of nitrile hydratase: Importance of hydrogen bonding to the non-heme iron center", *J. Inorg. Biochem.* **80**, 283-288 (2000).

Shimizu H., Park S.-Y., Lee D.-S., Shoun H., and Shiro Y.: "Crystal structures of cytochrome P450nor and its mutants (Ser286 Val, Thr) in the ferric resting state at cryogenic temperature: A comparative analysis with monooxygenase cytochrome P450s", *J. Inorg. Biochem.* **81**, 191-205 (2000). BL44B2

Obayashi E., Shimizu H., Park S.-Y., Shoun H., and Shiro Y.: "Mutation effects of a conserved threonine (Thr243) of cytochrome P450nor on its structure and function", *J. Inorg. Biochem.* **82**, 103-111 (2000). BL44B2

Kawano Y., Kumagai T., Muta K., Matoba Y., Davis J., and Sugiyama M.: "The 1.5Å crystal structure of a bleomycin resistance determinant from bleomycin-producing *Streptomyces vertucillus*", *J. Mol. Biol.* **295**, 915-925 (2000).

Matuura Y., Stewart M., Kawamoto M., Kamiya N., Saeki K., Yasunaga T., and Wakabayashi T.: "Structure basis for the higher Ca²⁺-activatin of the regulated actin-activated myosin ATPase observed with *Dictyostelium/Tetrahymena* actin chimeras", *J. Mol. Biol.* **296**, 579-595 (2000).

Miyatake H., Mukai M., Park S.-Y., Adachi S., Tamura K., Nakamura H., Nakamura K., Tsuchiya T., Iizuka T., and Shiro Y.: "Sensory mechanism of oxygen sensor FixL from *Rhizobium meliloti*:"

Crystallographic, mutagenesis and resonance Raman spectroscopic studies”, *J. Mol. Biol.* **301**, 415-431 (2000). BL44B2

Lee S. J., Imamoto N., Sakai H., Nakagawa A., Kose S., Koike M., Yamamoto M., Kumasaka T., Yoneda Y., and Tsukihara T.: “The adoption of a twisted structure of importin- β is essential for the protein-protein interaction required for nuclear transport”, *J. Mol. Biol.* **302**, 251-264 (2000). BL45XU

Hasegawa K., Ono T., and Noguchi T.: “Vibrational spectra and *ab initio* DFT calculations of 4-methylimidazole and its different protonation forms: Infrared and Raman markers of the protonation state of a histidine side chain”, *J. Phys. Chem. B* **104**, 4253-4265 (2000).

Kunishima N., Shimada Y., Tsuji Y., Sato T., Yamamoto M., Kumasaka T., Nakanishi S., Jingami H., and Morikawa K.: “Structural basis of glutamate recognition by a dimeric metabotropic glutamate receptor”, *Nature* **407**, 971-977 (2000). BL45XU

Inoue M., Muto Y., Sakamoto H., and Yokoyama S.: “NMR studies on functional structures of the AU-rich element-binding domains of Hu antigen C”, *Nucleic Acids Res.* **28**, 1743-1750 (2000).

Sasaki Y. C., Suzuki Y., Yagi N., Adachi S., Ishibashi M., Suda H., Toyota K., and Yanagihara M.: “Tracking of individual nanocrystals using diffracted X-rays”, *Phys. Rev. E* **62**, 3843-3847 (2000).

Isogai Y., Ishii A., Ishida M., Mukai M., Ota M., Nishikawa K., and Iizuka T.: “Structural and functional properties of designed globins”, *Proc. Ind. Acad. Sci.: Chem. Sci.* **112**, 215-221 (2000).

Nogi T., Fathir I., Kobayashi M., Nozawa Y., and Miki K.: “Crystal structures of photosynthetic reaction center and high-potential iron-sulfur protein from *Thermochromatium tepidum*: Thermostability and electron transfer”, *Proc. Natl. Acad. Sci. USA* **97**, 13561-13566 (2000).

Oka T., Yagi N., Fujisawa T., Kamikubo H., Tokunaga F., and Kataoka M.: “Time-resolved X-ray diffraction reveals multiple conformations in the M-N transition of the bacteriorhodopsin photocycle”, *Proc. Natl. Acad. Sci. USA* **97**, 14278-14282 (2000). BL45SAXS

Kuroda Y., Tani K., Matsuo Y., and Yokoyama S.: “Automated search of natively folded protein fragments for high-throughput structure determination in structural genomics”, *Protein Sci.* **9**, 2313-2321 (2000).

Toyoda T., Tin O.F., Ito K., Fujiwara T., Kumasaka T., Yamamoto M., Garber M.B., and Nakamura Y.: “Crystal structure combined with genetic analysis of the *Thermus thermophilus* ribosome recycling factor shows that a flexible hinge may act as a functional switch”, *RNA* **6**, 1432-1444 (2000). BL45XU

Palczewski K., Kumasaka T., Hori T., Behnke C.A., Motoshima H., Fox B.A., Le Trong I., Teller D.C., Okada T., Stenkamp R.E., Yamamoto M., and Miyano M.: “Crystal structure of rhodopsin: A G protein-coupled receptor”, *Science* **289**, 739-745 (2000). BL45XU

Sugiura I., Nureki O., Ugaji Y., Kuwabara S., Shimada A., Tateno M., Lober B., Giegé R., Moras D., Yokoyama S., and Konno M.: “The 2.0Å Crystal structure of *Thermus thermophilus* methionyl-tRNA

synthetase reveals two RNA-binding modules present in other class I enzymes”, *Structure* **8**, 197-208 (2000).

Nakai T., Hasegawa T., Yamashita E., Yamamoto M., Kumasaka T., Ueki T., Nanba H., Ikenaka Y., Takahashi S., Sato M., and Tsukihara T.: “Crystal structure of *N*-carbamyl-D-amino acid amidohydrolase with a novel catalytic framework common to amidohydrolases”, *Structure* **8**, 729-739 (2000). BL45XU

Ishikawa M., Hirao I., and Yokoyama S.: “Synthesis of 3-(2-deoxy- β -D-ribofuranosyl)pyridin-2-one and 2-amino-6-(N, N-dimethylamino)-9-(2-deoxy- β -D-ribofuranosyl)purine derivatives for an unnatural base pair”, *Tetrahedron Lett.* **41**, 3931-3934 (2000).